acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Date of compilation: 2022-10-04

SECTION 1: Identification Product identifier **All Purpose Cleaner** Trade name Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Engine cleaner/degreaser Professional use Industrial use HS code 3402.41.90. Details of the supplier of the safety data sheet Logicar 1361 NW 155th Drive Miami, FL 33169 703-527-3887 help@axiomcarcare.com

1.4

1.1

1.2

1.3

Version number: GHS 1.0

Emergency information service

24 hour emergency number 1-800-262-8200

SECTION 2: Hazard(s) identification

www.axiomcarcare.com

Classification of the substance or mixture 2.1

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
A.9	specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
B.6	flammable liquid	4	Flam. Liq. 4	H227

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS05, GHS08



- Hazard statements	
H227	Combustible liquid.
H318	Causes serious eye damage.
H373	May cause damage to organs through prolonged or repeated exposure.

acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Version number: GHS 1.0	Date of compilation: 2022-10-04
- Precautionary st	tatements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
0000	Wear protective gloves/protective elething/ove protection/face protection

P280 Wear protective gloves/protective clothing/eye protection/face protection.	
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lens easy to do. Continue rinsing.	ses, if present and
P310 Immediately call a poison center/doctor.	
P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.	
P403+P235 Store in a well-ventilated place. Keep cool.	
P501 Dispose of contents/container in accordance with local/regional/national/interna	ational regulations.

- Hazardous ingredients for labelling

EDTA, anhydrous, Alcohols, C9-11 ethoxylated, N,N-Diethoxylated-N-coco-N-methylammonium chloride, disodium cocoamphodipropionate

2.3 Other hazards

This material is combustible, but will not ignite readily.

Hazards not otherwise classified

Toxic to aquatic life with long lasting effects (GHS category 2: aquatic toxicity - acute and/or chronic).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
2-(2-butoxyethoxy)ethanol	CAS No 112-34-5	3-<12	Eye Irrit. 2 / H319
sodium tripolyphosphate	CAS No 7758-29-4	1-<3	Acute Tox. 2 / H330
EDTA, anhydrous	CAS No 64-02-8	1-<3	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Eye Dam. 1 / H318 STOT RE 2 / H373
N,N-Diethoxylated-N-coco-N- methylammonium chloride	CAS No 61791-10-4	1-<3	Eye Dam. 1 / H318
Alcohols, C9-11 ethoxylated	CAS No 68439-46-3	1-<3	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Eye Dam. 1 / H318
disodium cocoamphodipropionate	CAS No 68604-71-7	1-<3	Eye Dam. 1 / H318 Flam. Liq. 4 / H227
sodium metasilicate, anhydrous	CAS No 6834-92-0	0.1 - < 1	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Corr. 1B / H314 STOT SE 3 / H335
methanol	CAS No 67-56-1	0.1-<1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370 Flam. Liq. 2 / H225

acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Version number: GHS 1.0

Date of compilation: 2022-10-04

Hazardous ingredients, Consideration of other advice

This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

Exact percentage of ingredients is withheld as a trade secret.

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Version number: GHS 1.0 Date of compilation: 2022-10-04 **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures For non-emergency personnel Remove persons to safety. For emergency responders Wear breathing apparatus if exposed to vapors/dust/aerosols/gases. 6.2 Environmental precautions Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. 6.3 Methods and material for containment and cleaning up Advice on how to contain a spill Covering of drains Advice on how to clean up a spill Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder Appropriate containment techniques Use of adsorbent materials. Other information relating to spills and releases Place in appropriate containers for disposal. Ventilate affected area. 6.4 Reference to other sections Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling Recommendations - Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

- Handling of incompatible substances or mixtures
- Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Version number: GHS 1.0

Date of compilation: 2022-10-04

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

Control of the effects

Protect against external exposure, such as

frost

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

	· · ·				·	,					
Coun try	Name of agent	CAS No	lden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
US	triethanolamine	102-71-6	PEL (CA)		5						Cal/ OSHA PEL
US	triethanolamine	102-71-6	TLV®		5						AC- GIH® 2019
US	diethylene glycol monobutyl ether	112-34-5	TLV®	10						iv	AC- GIH® 2019
US	methanol	67-56-1	TLV®	200		250				Н	AC- GIH® 2019
US	methyl alcohol	67-56-1	REL	200 (10 h)	260 (10 h)	250	325				NIOS H REL
US	methyl alcohol	67-56-1	PEL	200	260						29 CFR 1910.1 000
US	methyl alcohol (methanol)	67-56-1	PEL (CA)	200	260	250	325	1,000			Cal/ OSHA PEL

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

H absorbed through the skin

iv inhalable fraction and vapor STEL short-term exposure limit: a li

EL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified

acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Version number: GHS 1.0

Г

Date of compilation: 2022-10-04

Country	Nam	e of agent		Parameter		Nota- tion	Identifier	Valu	ie	Source
US	m	nethanol		methanol			BEI®	15 m	g/l	ACGIH® 2019
Relevant DNELs of components of the mixture										
Name o stan		CAS No	End- point	Threshold level		ection goal e of expos- ure		in	Exp	osure time
2-(2 butoxyethox		112-34-5	DNEL	68 mg/m ³	hum	an, inhalatory	worker (in	dustry)	chro	nic - systemi effects
2-(2 butoxyethox		112-34-5	DNEL	83 mg/kg bw/day	hur	man, dermal	worker (in	dustry)	chro	nic - systemi effects
2-(2 butoxyethox		112-34-5	DNEL	68 mg/m ³	hum	an, inhalatory	worker (in	dustry)	chro	nic - local ef fects
2-(2 butoxyethox		112-34-5	DNEL	101 mg/m ³	hum	an, inhalatory	worker (in	dustry)	acute	- local effec
sodium trip pha		7758-29-4	DNEL	0.66 mg/m ³	hum	an, inhalatory	worker (in	dustry)	chro	nic - systemi effects
sodium trip pha		7758-29-4	DNEL	0.66 mg/m ³	hum	an, inhalatory	worker (industry)		acute	- systemic e fects
sodium trip pha		7758-29-4	DNEL	0.38 mg/kg bw/day	hur	man, dermal	worker (in	dustry)	chro	nic - systemi effects
sodium trip pha		7758-29-4	DNEL	0.38 mg/kg bw/day	hur	man, dermal	worker (in	dustry)	acute	e - systemic e fects
EDTA, an		64-02-8	DNEL	1.5 mg/m ³		an, inhalatory				nic - systemi effects
EDTA, and		64-02-8	DNEL	3 mg/m ³		an, inhalatory	`	2,		e - systemic e fects
EDTA, and		64-02-8	DNEL	1.5 mg/m ³		an, inhalatory				nic - local ef fects
EDTA, an		64-02-8	DNEL	3 mg/m ³	hum	an, inhalatory	worker (industry)			e - local effec
Alcohols, C oxyla	ted	68439-46-3	DNEL	2,080 mg/ kg		nan, dermal	worker (in			nic - systemi effects
Alcohols, C oxyla	ted	68439-46-3	DNEL	294 mg/m ³		an, inhalatory	``````````````````````````````````````	2,		nic - systemi effects
sodium met anhydi	rous	6834-92-0	DNEL	6.2 mg/m ³		an, inhalatory	``````````````````````````````````````			nic - systemi effects
sodium met anhydi		6834-92-0	DNEL	1.5 mg/kg bw/day		man, dermal	worker (in	dustry)		nic - systemi effects
metha	anol	67-56-1	DNEL	130 mg/m ³	hum	an, inhalatory	worker (in	dustry)		nic - systemi effects
metha		67-56-1	DNEL	130 mg/m ³	human, inhalatory		human, inhalatory worker (industry)			e - systemic e fects
metha	anol	67-56-1	DNEL	130 mg/m ³	hum	human, inhalatory worker (industry)		dustry)	chro	nic - local ef fects
metha	anol	67-56-1	DNEL	130 mg/m ³	hum	an, inhalatory	worker (in	dustry)	acute	- local effec

acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Version number: GHS 1.0

Date of compilation: 2022-10-04 _

Relevant DNELs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time	
methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic ef- fects	

Relevant PNECs o	f components	s of the mi	xture			
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
2-(2- butoxyethoxy)ethanol	112-34-5	PNEC	200 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
2-(2- butoxyethoxy)ethanol	112-34-5	PNEC	4 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)
2-(2- butoxyethoxy)ethanol	112-34-5	PNEC	56 ^{mg} / _{kg}	(top) predators	water	short-term (single instance)
2-(2- butoxyethoxy)ethanol	112-34-5	PNEC	3.9 ^{mg} / _l	aquatic organisms	water	intermittent release
2-(2- butoxyethoxy)ethanol	112-34-5	PNEC	0.4 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single instance)
2-(2- butoxyethoxy)ethanol	112-34-5	PNEC	200 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
2-(2- butoxyethoxy)ethanol	112-34-5	PNEC	1.1 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
2-(2- butoxyethoxy)ethanol	112-34-5	PNEC	0.11 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
2-(2- butoxyethoxy)ethanol	112-34-5	PNEC	4.4 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
2-(2- butoxyethoxy)ethanol	112-34-5	PNEC	0.44 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
2-(2- butoxyethoxy)ethanol	112-34-5	PNEC	0.32 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
sodium tripolyphos- phate	7758-29-4	PNEC	0.19 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)
sodium tripolyphos- phate	7758-29-4	PNEC	0.05 ^{mg} / _l	aquatic organisms	water	intermittent release
sodium tripolyphos- phate	7758-29-4	PNEC	0.005 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
sodium tripolyphos- phate	7758-29-4	PNEC	0.005 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
sodium tripolyphos- phate	7758-29-4	PNEC	0.19 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
sodium tripolyphos- phate	7758-29-4	PNEC	0.14 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
EDTA, anhydrous	64-02-8	PNEC	43 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
EDTA, anhydrous	64-02-8	PNEC	1.2 ^{mg} / _l	aquatic organisms	water	intermittent release

acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Version number: GHS 1.0

Date of compilation: 2022-10-04

Relevant PNECs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time	
EDTA, anhydrous	64-02-8	PNEC	2.8 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)	
EDTA, anhydrous	64-02-8	PNEC	0.28 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)	
EDTA, anhydrous	64-02-8	PNEC	50 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
EDTA, anhydrous	64-02-8	PNEC	1.1 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.1 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)	
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.1 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)	
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	1.4 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)	
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	14 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)	
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	14 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single instance)	
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	1 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.014 ^{mg} / _l	aquatic organisms	water	intermittent release	
methanol	67-56-1	PNEC	100 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)	
methanol	67-56-1	PNEC	77 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)	
methanol	67-56-1	PNEC	7.7 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single instance)	
methanol	67-56-1	PNEC	1,540 ^{mg} / _l	aquatic organisms	water	intermittent release	
methanol	67-56-1	PNEC	21 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)	
methanol	67-56-1	PNEC	2.1 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)	
methanol	67-56-1	PNEC	100 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
methanol	67-56-1	PNEC	77 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)	
methanol	67-56-1	PNEC	7.7 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)	
methanol	67-56-1	PNEC	100 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Version number: GHS 1.0

Date of compilation: 2022-10-04

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	yellow
Particle	not relevant (liquid)
Odor	fresh

Other safety parameters

pH (value)	13 (25 °C) (base)				
Melting point/freezing point	not determined				
Initial boiling point and boiling range	90 °C				
Flash point	61 °C at 101 kPa closed cup				
Evaporation rate	Not determined				
Flammability (solid, gas)	not relevant, (fluid)				
Vapor pressure	32 hPa at 25 °C				
Density	not determined				
Vapor density	this information is not available				
Relative density	1.1 at 25 °C (water = 1)				

Solubility(ies)

acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Date of compilation: 2022-10-04

- Water solubility	miscible in any proportion
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	210 °C (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none
Temperature class (USA, acc. to NEC 500)	T3 (maximum permissible surface temperature on the equipment: 200 $^{\circ}\text{C})$

SECTION 10: Stability and reactivity

10.1 Reactivity

Version number: GHS 1.0

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidizers

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Date of compilation: 2022-10-04

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Version number: GHS 1.0

Shall not be classified as acutely toxic.

Acute toxicity estimate	(ATE) of com	ponents of the mixture
-------------------------	--------------	------------------------

Name of substance	CAS No	Exposure route	ATE
sodium tripolyphosphate	7758-29-4	inhalation: dust/mist	>0.39 ^{mg} / _l /4h
EDTA, anhydrous	64-02-8	oral	>1,780 ^{mg} / _{kg}
EDTA, anhydrous	64-02-8	inhalation: dust/mist	1.5 ^{mg} / _l /4h
Alcohols, C9-11 ethoxylated	68439-46-3	oral	1,200 ^{mg} / _{kg}
Alcohols, C9-11 ethoxylated	68439-46-3	dermal	2,000 ^{mg} / _{kg}
sodium metasilicate, anhydrous	6834-92-0	oral	1,349 ^{mg} / _{kg}
sodium metasilicate, anhydrous	6834-92-0	inhalation: vapor	>2.1 ^{mg} / _l /4h
sodium metasilicate, anhydrous	6834-92-0	inhalation: dust/mist	0.5 ^{mg} / _l /4h
methanol	67-56-1	oral	100 ^{mg} / _{kg}
methanol	67-56-1	inhalation: gas	700 ^{ppmV} / _{4h}
methanol	67-56-1	inhalation: dust/mist	0.5 ^{mg} / _l /4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Date of compilation: 2022-10-04

Version number: GHS 1.0

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute	e) of components	of the mixture			
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
2-(2-butoxyethoxy)eth- anol	112-34-5	LC50	1,300 ^{mg} / _l	fish	96 h
2-(2-butoxyethoxy)eth- anol	112-34-5	EC50	>100 ^{mg} / _l	aquatic invertebrates	48 h
2-(2-butoxyethoxy)eth- anol	112-34-5	ErC50	>100 ^{mg} / _l	algae	96 h
sodium tripolyphosphate	7758-29-4	LC50	>1,850 ^{mg} / _l	fish	24 h
sodium tripolyphosphate	7758-29-4	EC50	>100 ^{mg} / _l	aquatic invertebrates	48 h
EDTA, anhydrous	64-02-8	LC50	>100 ^{mg} / _l	fish	96 h
EDTA, anhydrous	64-02-8	EC50	>114 ^{mg} / _l	aquatic invertebrates	48 h
EDTA, anhydrous	64-02-8	ErC50	>60 ^{mg} / _l	algae	72 h
Alcohols, C9-11 eth- oxylated	68439-46-3	LC50	8.5 ^{mg} / _l	fathead minnow	96 h
Alcohols, C9-11 eth- oxylated	68439-46-3	EC50	5.3 ^{mg} / _l	daphnia magna	48 h
Alcohols, C9-11 eth- oxylated	68439-46-3	ErC50	1 – 10 ^{mg} / _l	algae	96 h
disodium cocoamphodi- propionate	68604-71-7	LC50	1 – 100 ^{mg} / _l	fish	72 h
disodium cocoamphodi- propionate	68604-71-7	EC50	0.55 – 48 ^{mg} / _l	algae	72 h
disodium cocoamphodi- propionate	68604-71-7	EC50	6.5 ^{mg} / _l	daphnia	48 h
sodium metasilicate, an- hydrous	6834-92-0	LC50	310 ^{mg} / _l	fish	96 h
sodium metasilicate, an- hydrous	6834-92-0	EC50	1,700 ^{mg} / _l	aquatic invertebrates	48 h
methanol	67-56-1	LC50	15,400 ^{mg} / _l	fish	96 h
methanol	67-56-1	EC50	12,700 ^{mg} / _l	fish	96 h
methanol	67-56-1	ErC50	22,000 ^{mg} / _l	algae	96 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium tripolyphosphate	7758-29-4	LC50	>1,850 ^{mg} / _l	fish	24 h
sodium tripolyphosphate	7758-29-4	ErC50	>900 ^{mg} / _l	algae	7 d
sodium tripolyphosphate	7758-29-4	EC50	69 ^{mg} / _l	algae	4 d

Г

acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Aquatic toxicity (chronic) of components of the mixture						
Name of substance CAS No Endpoint Value Species Exposure time						
EDTA, anhydrous	64-02-8	EC50	625 ^{mg} / _l	aquatic invertebrates	24 h	
sodium metasilicate, an-	6834-92-0	EC50	>100 ^{mg} / _l	microorganisms	3 h	

12.2 Persistence and degradability

Data are not available.

hydrous

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Version number: GHS 1.0

Data are not available.

12.5 Results of PBT and vPvB assessment Data are not available.

12.6 Endocrine disrupting properties None of the ingredients are listed.

None of the ingredients are listed

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

not relevant

not assigned

not assigned

goods regulations

not subject to transport regulations

non-environmentally hazardous acc. to the dangerous

SECTION 14: Transport information

14.1 UN number

- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

14.6 Special precautions for user

There is no additional information.

United States: en

acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Version number: GHS 1.0 Date of compilation: 2022-10-04 Transport in bulk according to IMO instruments 14.7 The cargo is not intended to be carried in bulk. Information for each of the UN Model Regulations Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information Not subject to transport regulations. International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG. International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA. SECTION 15: Regulatory information Safety, health and environmental regulations specific for the product in question 15.1 National regulations (United States) **Toxic Substance Control Act (TSCA)** all ingredients are listed Superfund Amendment and Reauthorization Act (SARA TITLE III) - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304) none of the ingredients are listed - Specific Toxic Chemical Listings (EPCRA Section 313) Toxics Release Inventory: Specific Toxic Chemical Listings Name of substance CAS No Remarks Effective date methanol 67-56-1 1986-12-31 Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4) Name of substance CAS No Remarks Statutory Final RQ pounds (Kg) code 67-56-1 3 5000 (2270) methanol 4 Legend 3 "3" indicates that the source is section 112 of the Clean Air Act "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
water	7732-18-5	solvent	
2-(2-butoxyethoxy)ethanol		co-solvent	CA TACs
sodium tripolyphosphate	7758-29-4	water softener	
EDTA, anhydrous	64-02-8	chelate / se- questrant	

acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Version number: GHS 1.0

Date of compilation: 2022-10-04

Name of substance	CAS No	Functionality	Authoritative Lists
triethanolamine	102-71-6	pH adjusting agent	
N,N-Diethoxylated-N-coco-N-methylammoni- um chloride	61791-10-4	surfactant	
Alcohols, C9-11 ethoxylated	68439-46-3	surfactant	
disodium cocoamphodipropionate	68604-71-7	surfactant	
sodium metasilicate, anhydrous	6834-92-0	cleaning agent	
methanol	67-56-1	alcohols	CA TACs NTP OHAT - Repr. or Dev. Toxicants OEHHA RELs Prop 65
benzyl benzoate	120-51-4	fragrance	EU Fragrance Allergens
3-Methyl-5-phenyl-n-pentanol	55066-48-3 90866-30-1	fragrance	
cocoyl hydroxyethylimidazoline	61791-38-6	non-functional con- stituent	

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshol d	De Minimis Con- centration Threshold
methanol	67-56-1				1.0 %
2-(2-butoxyethoxy)ethanol		1022			1.0 %
sodium tripolyphosphate	7758-29-4				1.0 %

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
methanol	67-56-1		TE F3
2-(2-butoxyethoxy)ethanol			

Legend

F3 Flammable - Third Degree TE Teratogenic

E lei

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
METHANOL	67-56-1	E
GLYCOL ETHERS		E
TRIPHOSPHORIC ACID, PENTASODIUM SALT	7758-29-4	E

Legend E

Environmental hazard

acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Version number: GHS 1.0 Date of compilation: 2022-10-04 - Hazardous Substance List (RI-RTK) CAS No Name of substance References

T, F

67-56-1

Legend F

Flammability (NFPA®) Toxicity (ACGIH®)

methanol

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and **Toxic Enforcement Act of 1987**

Proposition 65 List of chemicals						
Name of substance	Name acc. to inventory	CAS No	Wt%	Remarks	Type of the tox- icity	
methanol	methanol	67-56-1	0.14		develop- mental	
2,2'-iminodiethanol	diethanolamine	111-42-2	0.0056		cancer	

VOC content

- Regulated Volatile Organic Compounds (VOC-EPA)	0.19 %
- Regulated Volatile Organic Compounds (VOC-Cal ARB)	0.19 %

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperat- ures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperat- ures before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Version number: GHS 1.0

Date of compilation: 2022-10-04

National inventories

Country	Inventory	Status
CA	DSL	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed
Legend DSL REACH Reg.	Domestic Substances List (D REACH registered substance	

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Sub- stances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protect- ing human health and the environment
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance

acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Version number: GHS 1.0

Date of compilation: 2022-10-04

Abbr. Descriptions of used abbreviations HS Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation) IATA International Air Transport Association IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval LHS Lower hazard substance NFPA® National Fire Protection Association (United States) NIOSH REL National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs) NPCA-HMIS® III National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition OSHA Occupational Safety and Health Administration (United States) PBT Persistent, Bioaccumulative and Toxic PEL Permissible exposure limit PNEC Predicted No-Effect Concentration ppm Parts per million
Organisation) IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval LHS Lower hazard substance NFPA® National Fire Protection Association (United States) NIOSH REL National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs) NPCA-HMIS® III National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition OSHA Occupational Safety and Health Administration (United States) PBT Persistent, Bioaccumulative and Toxic PEL Permissible exposure limit PNEC Predicted No-Effect Concentration
IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval LHS Lower hazard substance NFPA® National Fire Protection Association (United States) NIOSH REL National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs) NPCA-HMIS® III National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition OSHA Occupational Safety and Health Administration (United States) PBT Persistent, Bioaccumulative and Toxic PEL Permissible exposure limit PNEC Predicted No-Effect Concentration
ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval LHS Lower hazard substance NFPA® National Fire Protection Association (United States) NIOSH REL National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs) NPCA-HMIS® III National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition OSHA Occupational Safety and Health Administration (United States) PBT Persistent, Bioaccumulative and Toxic PEL Predicted No-Effect Concentration
IMDG International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval LHS Lower hazard substance NFPA® National Fire Protection Association (United States) NIOSH REL National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs) NPCA-HMIS® III National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition OSHA Occupational Safety and Health Administration (United States) PBT Persistent, Bioaccumulative and Toxic PEL Predicted No-Effect Concentration PNEC Predicted No-Effect Concentration
LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval LHS Lower hazard substance NFPA® National Fire Protection Association (United States) NIOSH REL National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs) NPCA-HMIS® III National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition OSHA Occupational Safety and Health Administration (United States) PBT Persistent, Bioaccumulative and Toxic PEL Permissible exposure limit PNEC Predicted No-Effect Concentration
ity during a specified time interval LHS Lower hazard substance NFPA® National Fire Protection Association (United States) NIOSH REL National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs) NPCA-HMIS® III National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition OSHA Occupational Safety and Health Administration (United States) PBT Persistent, Bioaccumulative and Toxic PEL Permissible exposure limit PNEC Predicted No-Effect Concentration
NFPA® National Fire Protection Association (United States) NIOSH REL National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs) NPCA-HMIS® III National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition OSHA Occupational Safety and Health Administration (United States) PBT Persistent, Bioaccumulative and Toxic PEL Permissible exposure limit PNEC Predicted No-Effect Concentration
NIOSH REL National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs) NPCA-HMIS® III National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition OSHA Occupational Safety and Health Administration (United States) PBT Persistent, Bioaccumulative and Toxic PEL Permissible exposure limit PNEC Predicted No-Effect Concentration
NPCA-HMIS® III National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition OSHA Occupational Safety and Health Administration (United States) PBT Persistent, Bioaccumulative and Toxic PEL Permissible exposure limit PNEC Predicted No-Effect Concentration
OSHA Occupational Safety and Health Administration (United States) PBT Persistent, Bioaccumulative and Toxic PEL Permissible exposure limit PNEC Predicted No-Effect Concentration
PBT Persistent, Bioaccumulative and Toxic PEL Permissible exposure limit PNEC Predicted No-Effect Concentration
PEL Permissible exposure limit PNEC Predicted No-Effect Concentration
PNEC Predicted No-Effect Concentration
ppm Parts per million
RTECS Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr. Corrosive to skin
Skin Irrit. Irritant to skin
STEL Short-term exposure limit
STOT RE Specific target organ toxicity - repeated exposure
STOT SE Specific target organ toxicity - single exposure
TLV® Threshold Limit Values
TWA Time-weighted average
VOC Volatile Organic Compounds
vPvB Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dan-gerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

acc. to 29 CFR 1910.1200 App D

All Purpose Cleaner

Version number: GHS 1.0

Date of compilation: 2022-10-04

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapor.
H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H370	Causes damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.